

ADAS PRO+ V2

ADAS PRO+ V2

Passenger Vehicle ADAS Calibration Equipment



Scan for more information

ADAS PRO+ V2 is a professional-grade passenger car ADAS calibration device equipped with a 75-inch high-definition LCD screen and a digital display of the front camera target. It can provide professional ADAS calibration solutions for automobile manufacturers, large automobile repair shops, and automotive glass shops.

 Equipped with high-definition LCD screen and digital front camera targets

 Centering and parallel can be completed in one minute

 Laser ranging positioning, millimeter-level calibration accuracy

 Compatible with ADAS series targets



Features

1. Realize digital display of front camera targets, eliminate the installation steps of front camera target head, greatly improve ADAS calibration efficiency, save target storage space, and reduce target maintenance and transportation costs.
2. Equipped with a 75-inch high-definition LCD screen, 4K resolution, the digital target restores the physical target in 1:1 ratio.
3. Supports horizontal angle, front and back, left and right fine-tuning, electric lifting and manual fine-tuning of the beam, and can complete centring and parallelism in 1 minute.
4. Equipped with a millimeter-level laser rangefinder to ensure precise calibration.
5. The software provides graphic tutorials and step-by-step guidance.
6. Support output of comparison reports before and after calibration.

Functions

1. **Target digitalization:** Supports more than 30 front camera targets.
2. **Equipment fine-tuning:** Supports fine-tuning of front-to-back and left-to-right angles.
3. **Equipment lifting:** Supports manual and electric lifting modes, and the laser rangefinder located height.
4. **Centring and parallelism:** The laser rangefinder is used to achieve parallel positioning of the equipment and the vehicle, and the line laser is used to achieve center positioning of the equipment and the vehicle.
5. **Level adjustment:** Observe the level bubble and adjust the base knob to achieve level adjustment of the equipment.

Accessories



Wheel Clamp
Assembly


























Distance
Measurement
Target



Center-mounted
Laser

ADAS PRO+ V2 Front Camera Electronic Targets

					
LAM01-01 Mercedes	LAM01-02 VW	LAM01-06-1 Toyota	LAM01-06-2 Toyota	LAM01-06-3 Toyota	LAM01-06-4 Toyota
					
LAM01-07-L/R Nissan	LAM01-09 Hyundai/Kia	LAM01-10 Mazda	LAM01-11 Romeo/Geely	LAM01-12-L/R Nissan/Renault	LAM01-15 Subaru
					
LAM01-16-L/R Mazda	LAM01-17 Honda	LAM01-18-L/R Suzuki	LAM01-19-L/R Mitsubishi	LAM01-21 Subaru	LAM01-23-L/R Sprinter
					
LAM01-25 Suzuki	LAM01-30-L/R Daihatsu	LAM01-32-L/R Maserati	LAM01-35 Leapmotor	LAM01-36 Tesla	

Electronic targets Switch on demand

